





PRODUCT CATALOG 2024







02 **Functional FM** Functional **FM Support FM** Integrated 03 **Athletic** Glider FM Sport **FM** Trainer 04 **Accommodative Motion Soft** Comfort Soft 05 **Diabetic** Diabetic Soft Diabetic Medium 3 Pair Diabetic 06 **Dress Dress Elite** Dress High Heel 07 Children's **UCBL** Whitman Roberts **Gait Plates**

Specialty

PT Controller **Smart Basic**

Carbon Weave Foot Plate

08

10 **Summit Pro Series Standard Braces** Summit Pro Gauntlet **Articulated Gauntlet** Summit Pro XP **Balance Brace** Foot Drop Brace 11 **Controller Braces** JM 720 Standard Controller JM 722 Tamarack Controller JM 722-M 12 **Specialty Braces** JM 724 Crow Walker JM 726 SMO JM 729 Flexion Limiter 13 **Children's Braces** Child Flexion Limiter Cloud Walker Child SMO

Ultra

UCBL

Ultra MP

Slim Power

Power Plates

Peel & Stick Accessories

Miscellaneous





20













Scanner System

- Includes NEW iPad & 3D Scanner Attachment
- 6 Month Satisfaction Guarantee
- Updates & Tech Support



To View Instructional Videos Go to www.FDMotion.com/3d-scanner

ATHLETIC



FM FUNCTIONAL

- General Purpose Functional Orthotic
- Rigid Graphite for Control and Stability

Shell Material:	PRX Graphite™ (Rigid)
Orthotic Width:	Regular
Heel Cup Depth:	12mm
Top Cover Length:	Shell Only
Top Cover Material:	Marine Grade Vinyl
Padding Material:	None
Bottom Cover Material:	None
Forefoot Post:	Intrinsic
Rearfoot Post:	Extrinsic

GLIDER

- General Purpose Athletic Activity
- Added Poron Padding for Comfort
- Semi-Rigid Control

Performance RX™ (Semi-Rigio
Regular
12mm
Full
Marine Grade Vinyl
1/8" Poron
Ultra Suede
Intrinsic
Extrinsic



FM SUPPORT

- Firmer Control
- Recommended for Forefoot & In-Shell Accommodations

Shell Material:	Performance RX™ (Semi-Rigid)
Sileli Material.	renormance na (Semi-nigiu)
Orthotic Width:	Regular
Heel Cup Depth:	12mm
Top Cover Length:	Sulcus
Top Cover Material:	Marine Grade Vinyl
Padding Material:	1/16" Plastazote (FF Only)
Bottom Cover Material:	Ultra Suede
Forefoot Post:	Intrinsic
Rearfoot Post:	Extrinsic
Accommodation:	Korex Arch Reinforcement





FM SPORT

- Promotes Motion in the First Ray
- Slim with High Durability

Shell Material:	PRX Graphite™ (Semi-Rigid
Orthotic Width:	Regular
Heel Cup Depth:	12mm
Top Cover Length:	Full
Top Cover Material:	1/8" Perforated Ucolite
Padding Material:	None
Bottom Cover Material:	1/16" EVA (FF Only)
Forefoot Post:	Intrinsic
Rearfoot Post:	Modified Intrinsic
Accommodation:	1st Ray Cut-Out



- Functional Control for High Activity
- Integrated Heel Post for Greater Durability





- Posted to Enhance Stability
- Rigid Shell & Runners Wedge for Pronation Control of the Forefoot

Shell Material:	Performance RX™ (Rigid)
Orthotic Width:	Regular
Heel Cup Depth:	12mm
Top Cover Length:	Full
Top Cover Material:	Marine Grade Vinyl
Padding Material:	1/16" Poron
Bottom Cover Material:	Ultra Suede
Forefoot Post:	Intrinsic with 3° Extrinsic Long FF Post
Rearfoot Post:	Extrinsic



MOTION SOFT

- Mild Control with Added Padding for Comfort
- Great for Forefoot & In-Shell Accommodations

Shell Material:	Performance RX™ (Semi-Flex)
Orthotic Width:	Regular
Heel Cup Depth:	12mm
Top Cover Length:	Full
Top Cover Material:	1/16" Neoprene
Padding Material:	1/8" Poron
Bottom Cover Material:	Ultra Suede
Forefoot Post:	Intrinsic
Rearfoot Post:	Extrinsic
Accommodation:	Poron Arch Reinforcement

DIABETIC SOFT

- Very Accommodating
- Mild Support, More Forgiving
- Soft Shell

Shell Material:	EVA
Orthotic Width:	Regular
Heel Cup Depth:	12mm
Top Cover Length:	Full
Top Cover Material:	Diabetic
Padding Material:	Plastazote/Poron
Bottom Cover Material:	1/16" EVA
Forefoot Post:	Intrinsic
Rearfoot Post:	Extrinsic



DIABETIC

COMFORT SOFT

- Comfortable and Supportive
- Soft Padding to Ease Discomfort

Shell Material:	EVA
Orthotic Width:	Regular
Heel Cup Depth:	12mm
Top Cover Length:	Full
Top Cover Material:	1/8" Neoprene
Padding Material:	1/16" Poron
Bottom Cover Material:	1/16" EVA
Forefoot Post:	Intrinsic
Rearfoot Post:	Extrinsic





DIABETIC MEDIUM

- Accommodating
- Firm Arch Support
- Medium Control

Shell Material:	Thermacork
Orthotic Width:	Regular
Heel Cup Depth:	12mm
Top Cover Length:	Full
Top Cover Material:	Diabetic
Padding Material:	Plastazote/Poron
Bottom Cover Material:	1/16" EVA
Forefoot Post:	Intrinsic
Rearfoot Post:	Extrinsic





*Additional cost for Amputee Fill

3 PAIR DIABETIC

- Very Accommodating
- Mild Support, More Forgiving
- Flexible Shell

Shell Material:	Performance RX^{TM} (Semi-Flex)
Orthotic Width:	Regular
Heel Cup Depth:	10mm
Top Cover Length:	Full
Top Cover Material:	Diabetic
Padding Material:	Plastazote/Poron
Bottom Cover Material:	1/16" EVA
Forefoot Post:	Intrinsic
Rearfoot Post:	Modified Intrinsic



ORTHOTICS

DRESS ELITE

- Fits Men's or Women's Dress Shoes
- Suede Bottom Cover (prevents squeaking)
- Very Comfortable Feel

0	D (D)/TM (O : D' : D
Shell Material:	Performance RX™ (Semi-Rigid)
Orthotic Width:	Narrow
Heel Cup Depth:	10mm
Top Cover Length:	Sulcus
Top Cover Material:	Marine Grade Vinyl
Padding Material:	1/16" Plastazote (FF Only)
Bottom Cover Material:	Ultra Suede
Forefoot Post:	Intrinsic
Rearfoot Post:	Modified Intrinsic
Accommodation:	Hole in Heel with 1/16" Poron Fill

UCBL

 Flanges and Deep Heel Offer Maximum Control for Total Length of Foot

Shell Material:	Performance RX™ (Semi-Rigid)
Orthotic Width:	Regular
Heel Cup Depth:	20mm
Device Length:	Shell Only
Top Cover Material:	None
Padding Material:	None
Bottom Cover Material:	None
Forefoot Post:	None
Rearfoot Post:	Extrinsic
Accommodation:	Full Distal Medial & Lateral Flanges



DRESS HIGH HEEL

- For Women's High Heel Shoes
- Suede Bottom Cover (prevents squeaking)

Performance RX™ (Semi-Rigid)
Narrow
None
Sulcus
Marine Grade Vinyl
1/16" Plastazote (FF Only)
Ultra Suede
Intrinsic
No Shell in Heel (1/16" Flexible Korex Heel Seat





WHITMAN ROBERTS

• Great Heel Control, but Less Aggressive than a UCBL

Shell Material:	Performance RX™ (Semi-Rigid)
Orthotic Width:	Regular
Heel Cup Depth:	20mm
Device Length:	Shell Only
Top Cover Material:	None
Padding Material:	None
Bottom Cover Material:	None
Forefoot Post:	None
Rearfoot Post:	Extrinsic
Accommodation:	Normal Medial Flange & Heel Cup Lateral Flange



CUSTOM PRINTING

We print your logo and/or name at no additional cost.



GAIT PLATES

• Induces In-Toe or Out-Toe Motion During Gait

Shell Material:	Performance RX™ (Semi-Rigid)
Orthotic Width:	Regular
Heel Cup Depth:	20mm
Device Length:	Shell Only
Top Cover Material:	None
Padding Material:	None
Bottom Cover Material:	None
Forefoot Post:	None
Rearfoot Post:	Extrinsic
Accommodation:	In-Toe or Out-Toe as Specified





PT CONTROLLER

• For Excessive Pronation, Flexible Flat Feet, & Posterior Tibialis Dysfunction

Shell Material:	Performance RX TM (Semi-Rigid)
Orthotic Width:	Regular
Heel Cup Depth:	20mm
Top Cover Length:	Shell Only
Top Cover Material:	Marine Grade Vinyl
Padding Material:	None
Bottom Cover Material:	None
Forefoot Post:	Intrinsic
Rearfoot Post:	Intrinsic 6° Varus & Extrinsic
Accommodation:	Full Distal Medial & Lateral Flanges with Lateral Wedge

SMART BASIC

- Rigid Shell and Durable EVA Top Cover
- Easy to Customize According to Needs

Shell Material:	Performance RX TM (Rigid)
Orthotic Width:	Regular
Heel Cup Depth:	12mm
Top Cover Length:	Full
Top Cover Material:	3mm EVA
Padding Material:	None
Bottom Cover Material:	None
Forefoot Post:	Intrinsic
Rearfoot Post:	Extrinsic





CARBON WEAVE FOOT PLATE

- Ultra Strong & Ultra Thin
- Handmade Carbon Fiber
- Reduces Recovery Time

The Carbon Weave Foot Plate insole is handmade out of medical grade carbon fiber weave. This insole is ultra thin, ultra strong, provides protection against most foot injuries, assists propulsion, enhances performance, and reduces recovery time.

Carbon Weave Foot Plates are Available in Every Half Size

FREE

Performance RX Shell Upgrades

Makes a Thinner, Stronger, & Lighter Orthotic



Available in Two Materials

Performance RXTM - Lab Standard

- Engineered Performance Nylon
- Twice as Strong as Polypropylene
- Heat Moldable, Keeps Shape Over Time

3 Rigidities Semi-Flex Semi-Rigid Rigid

Performance RX Graphite™ - Free Upgrade

- Blend of Performance Nylon & Carbon Fiber
- Extremely Strong, Light & Durable
- Heat Moldable, Keeps Shape Over Time
- 3 Rigidities Semi-Rigid Rigid Ultra-Rigid





ONTRO

Ш



GAUNTLET

- Helps Limit Movement in the Mid-Foot
- Alternative to Surgery for Severe PTTD
- Best Option for Instability of Subtalar Joint

Shell Material:	3mm Polypropylene (5mm & Carbon Fiber Optional)
Cover Material:	Black Marine Grade Vinyl (Other Colors & Leather Optional)
Padding Material:	3mm Poron with Breathable Mesh
Joint:	Fixed
Closure:	Velcro Straps and/or Laces
Length/Plantar:	Proximal to Meta Heads

Clinical Indicators

PTTD, Talocalcaneal Varus or Valgus, Chronic Achilles Tendonitis. Charcot

L Codes

L1940, L2330 L2820

CONTROLLER

- Designed to Improve Gait
- For Patients Who Need to Maintain Activity
- Fully Custom Built

Shell Material: 3mm Polypropylene (5mm & Carbon Fiber Optional) **Padding Material:** 3mm EVA with Removable Neoprene Pads Joint: Pivot Joint Velcro Straps Closure: Length/Plantar: Proximal to Meta Heads

Heel Cup Depth: 25mm

Clinical Indicators L Codes Arthritis, PTTD Severe Varus/Valgus

L1970, L2820



BALANCE BRACE

- Designed to Reduce Fall Risk
- Increased Balance & Postural Stability
- Reduces Postural Sway

Shell Material: 3mm Polypropylene (5mm & Carbon Fiber Optional) Black Marine Grade Vinyl **Cover Material:** (Other Colors & Leather Optional) **Padding Material:** 3mm Poron with Breathable Mesh Joint: Fixed Closure: Velcro Straps Length/Plantar: Proximal to Meta Heads

Clinical Indicators

History of Falls, Difficulty Walking, Balance Issues, Stroke, Neuropathy

L Codes

L1940. L2330 L2820



TAMARACK CONTROLLER

- Helps Patient Maintain an Active Lifestyle
- Designed to "Spring" Foot into Neutral During Swing-Phase of Gait

Shell Material: 3mm Polypropylene

(5mm & Carbon Fiber Optional)

Padding Material: 3mm EVA with Removable Neoprene Pads

Joint: Tamarack

Closure: Velcro Straps Proximal to Meta Heads Length/Plantar:

Heel Cup Depth: 25mm

Clinical Indicators

Mild Foot Drop, Equinus, PTTD, Ankle Instability

L Codes

L1970, L2820, L2200 (2x per brace)



FOOT DROP BRACE

- Stabilizes Foot & Ankle
- Low Profile to Fit in Most Shoes
- Helps Reduce Catching of the Toe During Swing Phase of Gait

Shell Material: 5mm Polypropylene (3mm & Carbon Fiber Optional) **Padding Material:** 3mm EVA Joint: Fixed Closure: Velcro Straps Length/Plantar: Proximal to Meta Heads

Clinical Indicators

Foot Drop/Weak or Absent Plantar Flexor,

Degenerative Arthritis, Trauma, Stroke

L1960, L2330, L2820

L Codes



S

ш

U

CHILDREN'S



CROW WALKER

- Rigid Support
- Improves Mobility & Wound Off-Loading
- Helps Treat Wounded Foot w/ Extra Care

Shell Material:		
Padding Material:	3mm EVA	
Joint:	Fixed	
Closure:	Velcro Straps	
Length/Plantar:	Full Length	
Heel Cup Depth:	N/A	

Clinical Indicators

Diabetic Ulcers, Charcot Diabetic Forefoot/ Rearfoot Amputation

L Codes

L4631, L3400, L2330

CHILD FLEXION LIMITER

- Best to Limit Plantar Flexion & Toe Walking
- For Patients Who Require Tall Posterior Control for Hyper-Extension of the Knee

Shell Material:	5mm Polypropylene (Carbon Fiber Optional)
Padding Material:	3mm EVA
Joint:	Tamarack
Closure:	Velcro Straps
Length/Plantar:	Proximal to Meta Heads
Heel Cup Depth:	30mm

Clinical Indicators

Toe Walking, Excessive Varus/Valgus, Need to Limit Plantar Flexion

L Codes

L1970, L2330, L2820, L2200 (2x per brace)



SMO

- Total Contact Support for Foot and Ankle
- More Support than a Foot Orthotic but Lower Profile than a Standard AFO

Shell Material:	5mm Polypropylene (Carbon Fiber Optional)
Padding Material:	3mm EVA
Joint:	Fixed
Closure:	Velcro Straps
Length/Plantar:	Proximal to Meta Heads
Heel Cup Depth:	Mid-Achilles Height

Clinical Indicators

Mendable High-Tone Supination/Pronation

L Codes

L1907, L2330





CHILD SMO

- Total Contact Support for Foot and Ankle
- More Support than a Foot Orthotic but Lower Profile than a Standard AFO

Shell Material:	5mm Polypropylene (Carbon Fiber Optional)
Padding Material:	3mm EVA
Joint:	Fixed
Closure:	Velcro Straps
Length/Plantar:	Proximal to Meta Heads
Heel Cup Depth:	Mid-Achilles Height

Clinical Indicators

Mendable High-Tone Supination/Pronation

L Codes L1907, L2330



FLEXION LIMITER

- Best to Limit Plantar Flexion & Toe Walking
- For Patients Who Require Tall Posterior Control for Hyper-Extension of the Knee

Shell Material:	5mm Polypropylene (Carbon Fiber Optional)	
Padding Material:	3mm EVA	
Joint:	Tamarack	
Closure:	Velcro Straps	
Length/Plantar:	Proximal to Meta Heads	
Heel Cup Depth:	30mm	

Clinical Indicators

Toe Walking, Excessive Varus/Valgus, Need to Limit Plantar Flexion

L Codes

L1970, L2330, L2820, L2200 (2x per brace)



We take pride in our craftsmanship & the quality of our products.





SUMMIT

PRO

SE

刀而

S



SUMMIT PRO

- Best All-Around Device for Everyday Use
- Looks & Feels like a Custom Orthotic
- Anti-Microbial MicroSilver[™] Top Cover

The Summit Pro has an anti-microbial MicroSilver™ top cover, 1/8" high-rebound EVA padding, and added padding in the heel. This insole provides semi-rigid support and is extrinsically posted 3 degrees varus with a 12mm heel cup to control pronation. This insole is designed to look and feel like a custom orthotic.

Variation Options: 3/4 Length | Non-Posted



SUMMIT PRO XP

- Additional 1/16" Extra Padding
- Anti-Microbial MicroSilver[™] Top Cover
- Doesn't Flatten Over Time

The Summit Pro XP has an anti-microbial MicroSilver™ top cover, 3/16" high-rebound EVA padding, and added padding in the heel. This insole provides semi-rigid support and is extrinsically posted 3 degrees varus with a 12mm heel cup to control pronation. This insole is designed to look and feel like a custom orthotic.

Variation Options: Non Posted



SUMMIT PRO PREMIUM

- Marine Grade Black Vinyl Top
- Increased Durability
- Decreased Friction

The Summit Pro Premium has a marine grade vinyl top cover, 1/8" high-rebound EVA padding, and added padding in the heel. This insole provides semi-rigid support and is extrinsically posted 3 degrees varus with a 12mm heel cup to control pronation. This insole is designed to look and feel like a custom orthotic.



SUMMIT PRO OPEN

- Bottom Cover Unglued
- Peel & Stick Backing
- Easy to Add Modifications

The Summit Pro Open has an anti-microbial MicroSilver™ top cover, added padding in the heel, and 1/8" high-rebound EVA padding that is unglued allowing for in-office adjustments before dispensing. This insole provides semi-rigid support and is extrinsically posted 3 degrees varus with a 12mm heel cup to control pronation. This insole is designed to look and feel like a custom orthotic.



CUSTOM LABELING

We print your logo and/or name at no additional cost for select orders.



Available Sizing for: Summit Pro Series									
Sizes	A	В	С	D	E	F	G	н	- 1
Mens	5-5.5	6-6.5	7-7.5	8-8.5	9-9.5	10-10.5	11-11.5	12-13	14-15
Womens	6-6.5	7-7.5	8-8.5	9-9.5	10-10.5	11-11.5	12-13	14+	



JM 720

- High Arch & Slight Met Raise
- Designed to be Heat Adjusted
- Rigid/Wide Shell

The JM 720 is a shell length, semi-rigid insole with a high arch and a slight met raise. This product is designed to be heat molded, creating a rigid functional device. The 720 should not be dispensed without heat adjustment.



JM 724

- Low Profile
- Fits in Most Shoes
- Wide Athletic Shell

The JM 724 is the newest model in our heat mold line up. It is a thin, shell length, semi-rigid device with a 12mm heel cup, and a medium arch. This product can be conveniently dispensed right out of the package as an over-the-counter device, or heat-adjusted to create a semi custom shell.



JM 722

- High Arch & Slight Met Raise
- Slim Profile for Dress Shoes
- Rigid Shell

The JM 722 is a narrow, shell length, rigid device with a high arch, slim profile and slight met raise. It can be formed to fit comfortably into dress shoes and even molded into high heels. The 722 should not be dispensed without heat adjustment.



JM 726

- Heel Posted 3° Varus
- Made to Fit Like a Custom Orthotic
- Low Profile/Low Arch

The JM 726 is a shell length, semi-rigid, low arch height insole. This product is made to fit like a custom orthotic, and can be conveniently dispensed right out of the package. The heel is posted at 3 degrees varus for lateral support.



JM 722-M

- Medium Arch & Slight Met Raise
- Slim Profile for Dress Shoes

The JM 722-M is a narrow, shell length, rigid device with a medium arch, slim profile and slight met raise. It can be formed to fit comfortably into any dress shoe including high heels. This product can be dispensed right out of the package as an OTC device, or heat-adjusted to create a semi custom shell.



JM 729

- Shell-Length Rigid Device
- Low Arch & 8mm Heel Cup

The JM 729 is a shell length, semi-rigid, low arch height device with neutral intrinsic posting. They can be dispensed out of the package like an OTC, or heat-adjusted and molded as needed.

HEAT MOLDING PACKAGE

The Heat Molding Package allows you to mold a shell directly to your patients' feet.

Includes both a Heat Molding Pillow and Hot Top Cover.



Pushes Against the Arch to

Create a Cast of the Foot



Hot Top Cover

 Protects the Foot While Molding an Orthotic

Available Sizing for: 720, 722, 722-M, 724, 726, 729 Sizes Α C G Mens 3-4 6-7 7-8 8-9 9-10 10-11 12-14 15+ Womens 5-6 7-8 8-9 9-10 10-11 11-12 12-13 14+

PREF,

AB

S

干

 \nearrow T

MOLDABL

ACCOMMODATIVE



CLOUD WALKER

- For Long Days on Your Feet
- Soft, High Rebound Materials
- Never Flattens Out

The Cloud Walker insole is made from high rebound bilaminate urethane and poron padding to create a soft orthotic that will never flatten out. This insole is extremely accommodative and provides maximum shock absorption. Ideal for people walking or standing on hard floor surfaces. Great for patients with ulcers or sensitive feet.



ULTRA

- EVA Shell, Nylon Top Cover
- High Medial Flange for Better Arch & Pronation Support

An accommodative device that offers good support and cushion. The high medial flange provides arch support, and helps to control pronation.



DIABETIC INSOLE

- Bi-Laminate Top Cover
- Multi Durometer
- Compliant with Medicare Shoe Program

The Diabetic Insole is designed for compliance with the Medicare Diabetic Shoe Program. The bi-laminate provides accommodative support throughout the entire insole.

Medicare HCPCS Code: A5500



ULTRA MP

- Ultra with Added Met Pad
- EVA Shell, Nylon Top Cover
- High Medial Flange for Better Arch & Pronation Support

An accommodative device that offers good support and cushion. The high medial flange provides arch support, and helps to control pronation. The Ultra MP version includes medium sized Met Pads (MP) built into the device.

Available Sizing for: Cloud Walker & Diabetic Insole									
Sizes	X Small	Small	Medium	Large	X Large	XX Large			
Mens	4-5	6-7	8-9	10-11	12-13	14-15			
Womens	5-7	8-9	10-11	12-13	14-15				

Available Sizing for: Ultra & Ultra MP										
Sizes	A	В	С	D	E	F	G	н	1	
Mens	5-5.5	6-6.5	7-7.5	8-8.5	9-9.5	10-10.5	11-11.5	12-13	14-15	
Womens	6-6.5	7-7.5	8-8.5	9-9.5	10-10.5	11-11.5	12-13	14+		



SLIM POWER

- High Rebound Neoprene
- Full Length Bottom Cover
- Additional Heel Cushion
- For High Arches

The Slim Power Insole has an anti-microbial MicroSilver™ top cover and 1/8" high-rebound EVA padding. This insole provides semiflexible support and has a very low profile, allowing it to fit into a wide variety of shoes.

Variation Options: 3/4 Length

Available Sizing for: Slim Power										
Sizes	AA	Α	В	С	D	E	F	G	н	
Mens	4-4.5	5-5.5	6-6.5	7-7.5	8-8.5	9-9.5	10-10.5	11-11.5	12-13	
Womens	5-5.5	6-6.5	7-7.5	8-8.5	9-9.5	10-10.5	11-11.5	12-13	14+	



KIDDIE TEK UCBL

- Offers Excellent Control
- Can be Adjusted with a Heat Gun

The Kiddie Tek UCBL offers excellent control for the pediatric foot. These insoles are intrinsically posted to neutral and provide semi-rigid support. They are available in 10 different sizes and can be adjusted with a heat gun.

Available Sizing for: Kiddie Tek UCBL										
Sizes UK	22	24	26	28	30	32	34	36	38	40
US	5-5.5	7-7.5	8.5	10-10.5	12-12.5	1-1.5	3-3.5	5-5.5	7-7.5	9-9.5



POWER PLATES NEW

- Support for Everyday Activities
- Reduces Recovery Time
- Enhances Performance

The Power Plate insole is designed to assist propulsion and enhance performance with every step. Made out of our proprietary PRx Graphite™, the power plate is heat moldable and available in multiple rigidities, allowing users to reduce recovery time and provide protection against most foot injuries.

Rigidity Options: Semi Flex | Semi Rigid

Available Sizing for: Power Plates

Power Plates are Available in Every Half Size

Mens: 3.5 - 16.5 Womens: 5 - 18

PEEL & STICK ACCESSORIES



3° Posting Wedges

Peel & Stick Posting Wedges



5° Posting Wedges

• Peel & Stick Posting Wedges



Arch Pad

Arch shaped poron pad



3° Posting Strips

• Peel & Stick Posting Strips



5° Posting Strips

Peel & Stick Posting Strips



1/4" Heel Lift

• 1/4" heel lift strip



Soft Top Cover

• 1/8" fabric covered poron

*Arch Pads, 1/4" Heel Lifts, & Soft Top Covers have been discontinued and will only be available while supplies last.

S

PREFAB

MISC

Ë

LANEOUS







(435) 251-8500 (800) 301-5835



914 South 100 East Washington, UT 84780



fdmotion.com jmorthotics.com





Let us take care of shipping costs for your custom devices to and from your office.





